

OASIS



FILTRATION





### Special Features

- Compatible with most POU units, coffee machines and other drinking water appliances.
- Interchangeable filter media.
- Simple installation.
- Easy maintenance with filter changes every 6 months.
- Two filter housing designs for a perfect fit in any environment.
- Cleaning Cartridge: Replace filter media with sanitizing solution to create a cleaning cartridge that can be used to sanitize all water contact surfaces inside your POU machine.
- OUTSIDE-IN filtration for maximum filtration efficiency with a minimal drop in pressure and no risk of blockage.


### Standard Equipment

- Flow monitor: Battery powered flow monitor automatically indicates when your filter media need to be replaced.



### Improve The Taste & Quality Of Drinking Water.

#### EZ Clip




#### EZ CLIP In-line green filter

Connected to flexible water tubing with a simple push-into-place fitting at the top and bottom of the filter. The filter body is secured to the wall by pushing it into a C-Clip. Ideal in situations where simplicity and space are a priority.

Connected to flexible water tubing 1/4"

#### EZ Turn



#### EZ TURN Quarter-turn green filter

Connected to flexible water tubing with a simple push-into-place fitting at the water entry and exit valves in the head of the filter. A no-spill valve allows to disconnect the filter body from the filter head without spilling any water.



## FILTER MEDIA.

### galaxi\*



- Combines activated carbon with a cellulose-free synthetic fiber matrix. Performs as a sediment filter and a carbon block in a single cartridge. Removes CTO, has dirt-holding capacity with a reduced risk of blocking, prevents carbon fines from being released into the water stream, reduces lead, cysts, contains bacteriostatic properties.
- Capacity - 11,400 Lt.

### Sediment



- 100% polypropylene microfibers. Removes sediments and improves the texture, taste and clarity of your water.
- Dirt holding capacity: 60 gr.

### Carbon/ Lead/ Silver\*



- Activated carbon block filter. Removes CTO, fine particulates and lead from cold water. Silver acts as a bactericide.
- Capacity - 4,940 Lt.

### remedi\*



- Pleated filter media infused with Powdered Activated Carbon (PAC) further enhanced with nanotechnology utilizing the principle of electro-adhesion capable of removing a wide range of water borne contaminants. Removes CTO, pharmaceutical and chemical waste, heavy metals (copper, iron, lead, tin), cysts, viruses, and bacteria.
- Capacity: for lead - 1,230 Lt.
- Capacity for CTO - 10,598 Lt, for Pharmaceutical and Chemical - 756,400 Lt.

### Carbon\*



- Activated carbon block filter. Removes chlorine, taste & odor (CTO) and fine particulates from cold water.
- Capacity - 3,800 Lt.

### Ceramic



- Silver impregnated ceramic micro filter that removes bacteria and cysts.
- Capacity - 10,000 Lt.

Filters marked with "\*" are available with phosphate additive to reduce scale.

# TECH SPEC.

Media Type	Micron Rating [µ]	CTO	Scale Reduction	Lead Reductions	Sediment, Rust, Sand, Stones, Particles Removal	Improves Taste & Odor	Cyst Reduction	Bacteriostatic Properties	Removes Viruses	Pharmaceutical & Chemical Waste Removed
Sediment	5	-	-	-	+	-	-	-	-	-
Carbon Block	1	+	-	-	+	+	-	-	-	-
Carbon / Phosphate	1	+	+	-	+	+	-	-	-	-
Carbon / Lead / Silver	0.5	+	-	+	+	+	+	+	-	-
Carbon / Lead / Silver / Phosphate	0.5	+	+	+	+	+	+	+	-	-
Ceramic	0.5	-	-	-	+	-	+	+	-	-
galaxi	0.5	+	-	+	+	+	+	+	-	-
galaxi / Phosphate	0.5	+	+	+	+	+	+	+	-	-
remedi	Equiv. 0.02	+	-	+	+	+	+	+	+	+
remedi / Phosphate	Equiv. 0.02	+	+	+	+	+	+	+	+	+

## OASIS IRELAND

Bunree Industrial Estate,  
Ballina, Co. Mayo, Ireland,  
+353 96 71222

## OASIS POLAND

ul. Gutenberga 20,  
44-164, Gliwice, Poland  
+48 32 332 65 01

[www.oasis.ie](http://www.oasis.ie)

[info@oasis.ie](mailto:info@oasis.ie)